

Enduring **Beauty**, Designed to Last a **Lifetime**



**100%
Waterproof**



**Scratch &
Dent Resistant**




**Kid & Pet
Friendly**



**Installs on
Every Level**

| FEATURES | BENEFITS |
|---|--|
| <p>CORE: The Everguard core construction eliminates air pockets, which results in increased product hardness and protection from moisture.</p> | <p>Delivers 100% waterproof protection.⁽¹⁾ Provides greater impact resistance and dimensional stability for high traffic areas.⁽²⁾</p> |
| <p>TEMPERATURE: Performs at high temperatures with no crowning, cupping or wear layer delamination.⁽³⁾</p> | <p>No acclimation required. Installs on any level, including three season rooms and rooms with direct sunlight.</p> |
| <p>LOCK STRENGTH: The Everguard core construction enables precision milling of the lock.</p> | <p>Makes installation easy and fast.</p> |



Reference Footnotes: (1) As tested when installed in areas of high humidity over concrete subfloors. (2) As tested according to ASTM F3261. (3) As tested according to ASTM F3261.

CLASSIC



Timeless Look
RKEG60L01E



Fall Harvest
RKEG60L02E



Deep Taupe
RKEG60L03E



Crystal Gray
RKEG60L04E



Mountain City
RKEG60L05E

NEW

CLASSIC PLUS



Calmeest Taupe
EKEP70L05E



Nature Time
EKEP70L02E



Wheatland Hills
EKEP70L03E



Sea Oat
EKEP70L06E



Friendly Trail
EKEP70L04E



Breezy Cloud
EKEP70L08E



Dreams Fly
EKEP70L09E



Beach Grass
EKEP70L01E



Curator Gray
EKEP70L07E



Atlantic View
EKEP70L10E

TRENDING



Botanical Tan
RKEG70L01E



Sand Washed
RKEG70L02E



Southern Hills
RKEG70L03E



Ocean Style
RKEG70L04E



Dark Timber
RKEG70L05E



Everguard™

Rigid Core Flooring



PHOTO: Ocean Style, Pine, RKEG70L04E

| | CLASSIC | CLASSIC PLUS | TRENDING |
|--------------------------|--|--------------------------------------|--|
| APPEARANCE | White Oak and Rustic Oak | Oak | White Oak, Pine and Rustic Oak |
| STRUCTURE | Vinyl Film + Everguard™ Core + Pad | | |
| SIZE | 5.79" x 48" | 7.87" x 60" | 7.1" x 60" |
| THICKNESS | 5 mm = 4 mm + 1 mm pad attached | | 6 mm = 5 mm + 1 mm pad attached |
| WEAR LAYER | 12 mil | | 20 mil |
| EMBOSSING | Wood Grain | | |
| GLOSS | Low | | |
| EDGE DETAIL | Micro-beveled edges and ends | Painted micro-beveled edges and ends | |
| BOARD TO BOARD VARIATION | More | | |
| INSTALLATION | Locking, Below / On / Above Ground Level Optional Installation: Glue Down - Bruce® TuffLink™ Residential Resilient Adhesive | | |
| WARRANTY | 35-Year Limited Warranty, Residential Use | | Lifetime Limited Warranty, Residential Use and 10-Year Limited Warranty, Light Commercial Use |

For more information, contact your Hartco distributor or AHF Products Sales Representative.